

Manufactured by Winechek Pty Ltd



Vintessential Acetic Acid Analysis Kit Vial 5

Winechek

Chemwatch Hazard Alert Code: 0

Chemwatch: 4642-95 Version No: 6.1

Issue Date: **12/23/2022** Print Date: **05/20/2024** L.GHS.AUS.EN.E

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier | | | | | |
|---|--|--|--|--|--|
| Product name | Vintessential Acetic Acid Analysis Kit Vial 5 | | | | |
| Chemical Name | Not Applicable | | | | |
| Synonyms | Not Available | | | | |
| Chemical formula | Not Applicable | | | | |
| Other means of identification | Not Available | | | | |
| Relevant identified uses of the substance or mixture and uses advised against | | | | | |
| Relevant identified uses | Used to measure Acetic Acid in grape juice and wine. | | | | |

Details of the manufacturer or supplier of the safety data sheet

| Registered company name | Winechek | | | | | |
|-------------------------|--|--|--|--|--|--|
| Address | 10 Kalimna Road, Nuriootpa SA 5355 Australia | | | | | |
| Telephone | +61 8 8360 2200 | | | | | |
| Fax | Not Available | | | | | |
| Website | Not Available | | | | | |
| Email | support@winechek.com | | | | | |

Emergency telephone number

| Association / Organisation | Poisons Information Centre |
|-----------------------------------|----------------------------|
| Emergency telephone numbers | 13 11 26 |
| Other emergency telephone numbers | Not Available |

SECTION 2 Hazards identification

Classification of the substance or mixture

| Poisons Schedule | Not Applicable |
|--------------------|----------------|
| Classification [1] | Not Applicable |

Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Chemwatch: 4642-95

Page 2 of 8 Vintessential Acetic Acid Analysis Kit Vial 5

Issue Date: 12/23/2022 Print Date: 05/20/2024

SECTION 3 Composition / information on ingredients

Substances

Version No: 6.1

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] Name | | | | |
|---------------|--|--|--|--|--|
| 127-09-3 | <0.1 | sodium acetate, anhydrous | | | |
| 26628-22-8 | <0.1 | sodium azide | | | |
| Not Available | balance | Ingredients determined not to be hazardous | | | |
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available | | | | |

SECTION 4 First aid measures

Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
 Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| Fire Incompatibility | Avoid contamination with strong oxidising agents as ignition may result | | | | | |
|-------------------------|--|--|--|--|--|--|
| Advice for firefighters | | | | | | |
| Fire Fighting | Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. | | | | | |
| | ► Non combustible. ► Not considered a significant fire risk, however containers may burn. | | | | | |

Fire/Explosion Hazard

Decomposition may produce toxic fumes of:

carbon dioxide (CO2)

nitrogen oxides (NOx)

other pyrolysis products typical of burning organic material.

HAZCHEM

Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal. |
|--------------|--|
| Major Spills | Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment. Prevent spillage from entering drains, sewers or water courses. Recover product wherever possible. Put residues in labelled containers for disposal. If contamination of drains or waterways occurs, advise emergency services. |

Chemwatch: 4642-95 Page 3 of 8

Vintessential Acetic Acid Analysis Kit Vial 5

Issue Date: 12/23/2022 Print Date: 05/20/2024

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Version No: 6.1

- Limit all unnecessary personal contact.Wear protective clothing when risk of exposure occurs.
 - ▶ Use in a well-ventilated area.
 - When handling DO NOT eat, drink or smoke.
 - Always wash hands with soap and water after handling.
 - Avoid physical damage to containers.
 - Use good occupational work practice.
 - Observe manufacturer's storage and handling recommendations contained within this SDS.

Other information

Safe handling

- Store in original containers. Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- ▶ Protect containers against physical damage and check regularly for leaks.
- ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

| Suitable container | ► Glass container is suitable for laboratory quantities |
|-------------------------|---|
| Storage incompatibility | Avoid contamination of water, foodstuffs, feed or seed. Avoid reaction with oxidising agents |

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|------------------------------|-----------------|-----------------|------------------|------------------|-------------------------|---|
| Australia Exposure Standards | sodium azide | Sodium azide | Not Available | Not Available | 0.11 ppm / 0.3 mg/m3 | (d) For the two substances marked with this footnote (benomyl and sodium azide), the exposure standards are established as gravimetric (mg/m³) values and converted into volumetric values. |

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | TEEL-3 |
|---------------------------|-------------|------------|-----------|
| sodium acetate, anhydrous | 11 mg/m3 | 120 mg/m3 | 700 mg/m3 |
| sodium azide | 0.026 mg/m3 | 0.29 mg/m3 | 5.3 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|---------------------------|---------------|---------------|
| sodium acetate, anhydrous | Not Available | Not Available |
| sodium azide | Not Available | Not Available |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit | |
|---------------------------|---|---|--|
| sodium acetate, anhydrous | E ≤ 0.01 mg/m³ | | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into adverse health outcomes associated with exposure. The output of this perfect to a range of exposure concentrations that are expected to protect work | process is an occupational exposure band (OEB), which corresponds | |

MATERIAL DATA

Exposure controls

| Exposure controls | |
|---|--|
| Appropriate engineering controls | Use in a well-ventilated area |
| Individual protection measures, such as personal protective equipment | |
| Eye and face protection | No special equipment for minor exposure i.e. when handling small quantities. OTHERWISE: Safety glasses with side shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] |
| Skin protection | See Hand protection below |
| Hands/feet protection | No special equipment needed when handling small quantities. OTHERWISE: Wear chemical protective gloves, e.g. PVC. |
| Body protection | See Other protection below |

Vintessential Acetic Acid Analysis Kit Vial 5

Issue Date: **12/23/2022**Print Date: **05/20/2024**

Other protection

No special equipment needed when handling small quantities.

OTHERWISE:

- Overalls.
- Barrier cream.
- Eyewash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Vintessential Acetic Acid Analysis Kit Vial 5

| Material | СРІ |
|----------------|-----|
| BUTYL | A |
| NEOPRENE | Α |
| VITON | А |
| NATURAL RUBBER | С |
| PVA | С |

^{*} CPI - Chemwatch Performance Index

A: Best Selection

- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Ansell Glove Selection

| Glove — In order of recommendation |
|------------------------------------|
| AlphaTec 02-100 |
| AlphaTec® Solvex® 37-185 |
| AlphaTec® 38-612 |
| AlphaTec® 58-008 |
| AlphaTec® 58-530B |
| AlphaTec® 58-530W |
| AlphaTec® 58-735 |
| AlphaTec® 79-700 |
| AlphaTec® Solvex® 37-675 |
| DermaShield™ 73-711 |

The suggested gloves for use should be confirmed with the glove supplier.

Respiratory protection

Type B-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

| Required minimum protection factor | Maximum gas/vapour concentration present in air p.p.m. (by volume) | Half-face Respirator | Full-Face Respirator |
|------------------------------------|--|-------------------------|-------------------------|
| up to 10 | 1000 | B-AUS / Class1 P2 | - |
| up to 50 | 1000 | - | B-AUS / Class 1 P2 |
| up to 50 | 5000 | Airline * | - |
| up to 100 | 5000 | - | B-2 P2 |
| up to 100 | 10000 | - | B-3 P2 |
| 100+ | | | Airline** |

* - Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| nformation on basic physical | and chemical properties | | |
|--|---------------------------------|---|----------------|
| Appearance | Clear liquid; mixes with water. | | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Available | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

Version No: 6.1

Vintessential Acetic Acid Analysis Kit Vial 5

Issue Date: **12/23/2022**Print Date: **05/20/2024**

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|------------------------------------|--|
| Chemical stability | Stable for up to 12 months if kept in fridge @ 4 degC. Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

| Information | on | toxicol | logical | effects |
|-------------|----|---------|---------|---------|
| | | | | |

| Inhaled | Not normally a hazard due to non-volatile nature of product | | | |
|---------------------------|---|---|--|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. | | | |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. | | | |
| Еуе | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). | | | |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. | | | |
| Vintessential Acetic Acid | TOXICITY | IRRITATION | | |
| Analysis Kit Vial 5 | Not Available | Not Available | | |
| | тохісіту | IRRITATION | | |
| | Dermal (rabbit) LD50: >20000 mg/kg ^[1] | Eye (rabbit): 10 mg - mild | | |
| sodium acetate, anhydrous | Inhalation (Rat) LC50: >5.6 mg/l4h ^[1] | Skin (rabbit): 550 mg/24h - mild | | |
| | Oral (Rat) LD50: 3530 mg/kg ^[2] | | | |
| | тохісіту | IRRITATION | | |
| | Dermal (rabbit) LD50: 20 mg/kg ^[2] | Eye: no adverse effect observed (not irritating) ^[1] | | |
| sodium azide | Inhalation (Rat) LC50: >0.054<0.52 mg/l4h ^[1] | Skin: no adverse effect observed (not irritating) ^[1] | | |
| | Oral (Rat) LD50: 27 mg/kg ^[2] | | | |
| Legend: | Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Ele | es - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise | | |

SODIUM ACETATE, ANHYDROUS

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.

SODIUM AZIDE

General anaesthesia, somnolence, convulsions, headache, irritability, arrhythmias, dyspnae, respiratory stimulation, diarrhoea recorded.

| Acute Toxicity | × | Carcinogenicity | × |
|-----------------------------------|---|--------------------------|---|
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity | × | Aspiration Hazard | × |

Legend:

Data either not available or does not fill the criteria for classification

Data evailable to make classification

Version No: 6.1

Vintessential Acetic Acid Analysis Kit Vial 5

Issue Date: **12/23/2022** Print Date: **05/20/2024**

SECTION 12 Ecological information

Toxicity

| Vintessential Acetic Acid Analysis Kit Vial 5 | Endpoint | Test Duration (hr) | Species | Value | Source |
|--|------------------|--------------------|-------------------------------|------------------|------------------|
| | Not Available | Not Available | Not Available | Not Available | Not Available |
| odium acetate, anhydrous | Endpoint | Test Duration (hr) | Species | Value | Source |
| | LC50 | 96h | Fish | >=100mg/l | 1 |
| | EC50 | 72h | Algae or other aquatic plants | >417.92mg/l | 2 |
| | EC50 | 48h | Crustacea | >1000mg/l | 1 |
| | EC50(ECx) | 48h | Crustacea | >1000mg/l | 1 |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| | ErC50 | 72h | Algae or other aquatic plants | 0.35mg/l | 2 |
| | NOEC(ECx) | 168h | Crustacea 0.1mg/L | | 2 |
| sodium azide | LC50 | 96h | Fish 0.68mg/l | | 2 |
| Soulum azide | = | 96h | Algae or other aquatic plants | 0.242- | 4 |
| | EC50 | 9611 | Aigae of other aquatic plants | 0.429mg/l | |

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|---------------------------|-------------------------|------------------|
| sodium acetate, anhydrous | LOW | LOW |
| sodium azide | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation | |
|---------------------------|-----------------------|--|
| sodium acetate, anhydrous | HIGH (BCF = 29100) | |
| sodium azide | LOW (LogKOW = 0.1631) | |

Mobility in soil

| Ingredient | Mobility | |
|---------------------------|------------------------|--|
| sodium acetate, anhydrous | HIGH (Log KOC = 1) | |
| sodium azide | HIGH (Log KOC = 1.342) | |

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- ▶ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group | |
|---------------------------|---------------|--|
| sodium acetate, anhydrous | Not Available | |

Chemwatch: **4642-95** Page **7** of **8**

Vintessential Acetic Acid Analysis Kit Vial 5

Product name Group
sodium azide Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|---------------------------|---------------|
| sodium acetate, anhydrous | Not Available |
| sodium azide | Not Available |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

sodium acetate, anhydrous is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

sodium azide is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

Additional Regulatory Information

Not Applicable

Version No: 6.1

National Inventory Status

| National Inventory | Status | |
|---|--|--|
| Australia - AIIC / Australia Non- Industrial Use | Yes | |
| Canada - DSL | Yes | |
| Canada - NDSL | No (sodium acetate, anhydrous; sodium azide) | |
| China - IECSC | Yes | |
| Europe - EINEC / ELINCS / NLP | Yes | |
| Japan - ENCS | Yes | |
| Korea - KECI | Yes | |
| New Zealand - NZIoC | Yes | |
| Philippines - PICCS | Yes | |
| USA - TSCA | Yes | |
| Taiwan - TCSI | Yes | |
| Mexico - INSQ | Yes | |
| Vietnam - NCI | Yes | |
| Russia - FBEPH | Yes | |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. | |

SECTION 16 Other information

| Revision Date | 12/23/2022 |
|---------------|------------|
| Initial Date | 08/18/2005 |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|----------------|--|
| 5.1 | 11/01/2019 | One-off system update. NOTE: This may or may not change the GHS classification |
| 6.1 | 12/23/2022 | Classification review due to GHS Revision change. |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ► ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ► LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value

Issue Date: 12/23/2022

Print Date: 05/20/2024

Issue Date: 12/23/2022 Chemwatch: 4642-95 Page 8 of 8 Version No: 6.1

Vintessential Acetic Acid Analysis Kit Vial 5

Print Date: 05/20/2024

- ▶ LOD: Limit Of Detection
- ► OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
 EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
 TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.